


Waarskuwing: ignoreer valse gerug oor watergehalte

Linda Havenga

Die gerug wat plaaslik die rondte doen, en ook aan ander Munisipaliteite versprei is wat beweer dat 'iets' in die Munisipale reservoir geval het en dat die Munisipaliteit inwoners gewaarsku het om nie die water te drink nie omdat "die water besmet is" is VALS. Die Munisipale water van Prince Albert is veilig om te drink. Hierdie boodskappe is kwaadwillig en nie in die waarheid gegrond nie.

Ignoreer asseblief hierdie boodskap indien u dit ontvang en moet dit ook nie versprei nie – u maak uself aan kwaadstokery skuldig, wat geen goeie gevolge kan inhou nie. Registreer asseblief op die plaaslike Munisipale databasis vir direkte boodskappe vanaf die Munisipaliteit. □

Bron: Dr Beyers Naudé Municipality



Die gewraakte vals boodskap wat die rondte doen.

Foto: verskaf

ATLAS TOWER (PTY) LTD

ENVIROAFRICA CC

NEMA PUBLIC PARTICIPATION PROCESS

PROPOSED DEVELOPMENT OF A 25M HIGH TELECOMMUNICATION MAST ON ERF 2517, PASTORIE STREET, PRICE ALBERT BUSH PUB, PRINCE ALBERT, WESTERN CAPE

Notice is hereby given of the intention to submit an application, and the public participation, process in terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998), as amended ("NEMA"), Environmental Impact Assessment Regulations 2014. The proposed development of a 25m high telecommunication mast on Erf 2517, Pastorie Street, Price Albert Bush Pub, Prince Albert, Western Cape, and includes activities listed in terms of the NEMA EIA Regulations, 2014.

EnviroAfrica cc has been appointed by Atlas Tower (Pty) Ltd, to undertake the NEMA EIA Application for Environmental Authorisation process.

Application for environmental authorization to undertake the following activities:

Government Notice R324 (Listing Notice 3): Activity No. 3

Project Description & Location:

A telecommunications mast, including associated infrastructure, is proposed on Erf 2517, Pastorie Street, Price Albert Bush Pub, Prince Albert, Western Cape. The proposed development is to clear an area of 100m² to erect a 25m high monopole mast with antennas situated on the top of the proposed structure. No new roads will be constructed as an existing access road will be utilised to gain access to the proposed site. The proposed site is located outside the urban area of Prince Albert and is Agriculture zoned, and the site co-ordinates are **33° 13' 29.81" S, 22° 2' 21.74" E**.

Public Participation: Interested and Affected Parties (I&APs) are hereby notified of the application and invited to register (in writing) and/or provide initial comments and identify any issues, concerns or opportunities relating to this project to the contact details provided below, **on or before 11 March 2019**. In order to register or submit comment, I&APs should refer to the project name, and provide their name, address & contact details (*indicating your preferred method of notification*) and an indication of any direct business, financial, personal, or other interest which they have in the application. Please note that future correspondence will only be sent to registered Interested and Affected Parties. Please note that the Pre-Application Basic Assessment Report (Pre-App BAR) will be available on our website (www.enviroafrica.co.za) on **08 February 2019**.

Please note that only Registered I&APs:

- will be notified of the availability of reports and other written submissions made (or to be made) to the Department by the applicant, and be entitled to comment on these reports and submissions;
- will be notified of the outcome of the application, the reasons for the decision, and that an appeal may be lodged against a decision; and
- will be notified of the applicant's intention to appeal the decision of the competent authority, together with an indication of where and for what period the appeal submission will be available for inspection.

You are also requested to pass this information to any person you feel should be notified.

Consultant: EnviroAfrica CC. P.O. Box 5367, Helderberg, 7135 / Fax: 086 512 0154 / Tel: 021 8511616 / E-mail: admin@enviroafrica.co.za

PRINCE ALBERT MUNICIPALITY

ENVIROAFRICA CC

PUBLIC PARTICIPATION PROCESS**THE PROPOSED UPGRADE OF THE KLAARSTROOM OXIDATION POND WASTEWATER TREATMENT SYSTEM ON RE OF PORTION 32 & RE OF PORTION 34 OF FARM KLAARSTROOM 178, PRINCE ALBERT, WESTERN CAPE.**

Notice is hereby given of a public participation process in terms of the National Environmental Management Act, 1998 (Act 107 of 1998) ("NEMA") and the EIA Regulations (2014) as amended, as well as the National Water Act, 1998 (Act 36 of 1998) ("NWA"); for the application for environmental authorisation (EIA) and a water use licence application (WULA) to undertake the following:

Relevant notice(s):	Activity No (s)	Description
GN. R. 327 (2014) Listing Notice 1	19	The infilling of any material of more than 10 cubic metres into or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse;
	48	The expansion of- (i) infrastructure where the physical footprint is expanded by 100m ² or more; where such expansion occurs – (a) within a watercourse.
GN. R. 327 (2014) Listing Notice 3	12	The clearance of an area of 300m ² or more of indigenous vegetation (ii) within a CBA
Section 21 of the NWA	21 (c) 21 (i)	Impeding or diverting the flow of a watercourse. Altering the bed, bank, course or characteristics of a watercourse.
NWA	GN267	Registration of the works

Please note that should additional listed activities be identified during the application process they will be communicated to registered I&AP's.

EnviroAfrica cc has been appointed by Prince Albert Municipality to undertake the Environmental Impact Assessment for the proposed project. WATSAN Africa was appointed to apply for a Water Use Licence.

Project Description & Location: 33°19'20.09"S 22°31'43.44"E

The proposed development entails the upgrade of the existing Klaarstroom oxidation pond and waste water treatment system to increase the capacity and improve the quality of the final effluent. With the proposed upgrade, the footprint of the works will increase by ±0.25ha. Given the layout of the existing plant and quality the final effluent received, it is proposed that the plant be converted to a system of oxidation ponds with a single horizontal flow reedbed series, followed by a storage pond. Treated water from the last pond is to be used for irrigation of the sports field in the village. This will be made possible by using a gravity system as the waste water treatment plant is located at a higher elevation than the village. It is proposed to construct a 160mm Ø uPVC pipeline ±300m in length which would terminate in a small galvanized dam at the sports field. For more detail regarding the project description, please refer to the Pre-Application Basic Assessment Report (Pre-App BAR) which will be available on the EnviroAfrica website from the 8 February 2019 for comment.

Description of Alternatives:

Alternative includes layout options and the option of not proceeding with the proposed development (the No-Go option) will be discussed in the application process.

Public Participation: Interested and Affected Parties (I&APs) are hereby notified of the application and invited to register (in writing) and/or provide initial comments and identify any issues, concerns or opportunities relating to this project to the contact details provided below, on or before 15 April. In order to register or submit comment, I&APs should refer to the project name and D:ENC reference numbers above, and provide their name, address & contact details (*indicating your preferred method of notification*) and an indication of any direct business, financial, personal, or other interest which they have in the application. Please note that future correspondence will only be sent to registered Interested and Affected Parties. You are also requested to pass this information to any person you feel should be notified. **Please note that the Pre-App BAR will be available for comment on the EnviroAfrica website from 8 February 2019 until 15 April 2019.**

Consultant: EnviroAfrica
P.O. Box 5367,
Helderberg,
7135,
Fax: 086 512 0154 / Tel: 021 8511616 /