

**PROPOSED 25M HIGH TELECOMMUNICATIONS MAST ON ERF 435,  
NIEUWOUDTVILLE SPORTSGROUNDS, DU TOIT STREET, NIEUWOUDTVILLE,  
NORTHERN CAPE**

**Our Ref:**



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Natasha Higgitt  
Tel: 021 462 4502  
Email: [nhiggitt@sahra.org.za](mailto:nhiggitt@sahra.org.za)  
CaseID: 12270

Date: Monday March 19, 2018  
Page No: 1

## **Interim Comment**

**In terms of Section 38(3), 38(8) of the National Heritage Resources Act (Act 25 of 1999)**

Attention: Enviroafrica CC

PO Box 5367  
Heilderberg  
7135

**The proposed development is to clear an area of 7m X 8m (56m<sup>2</sup>) to erect a 25m high Monopole mast with antennas situated on the top of the proposed structure. The proposed telecommunication mast and base station will be situated on a site zoned for Open Space Zone II and located is within the urban area of Nieuwoudtville. The telecommunications mast, including associated infrastructure, is proposed on Erf 435, Nieuwoudtville Sportsgrounds, Du Toit Street, Nieuwoudtville, Northern Cape. The site co-ordinates are 31°22'19.04" S, 19°6'49.10"**

Thank you for notifying SAHRA of the Environmental Authorisation (EA) for the proposed 25 m high Telecommunications mast on Erf 435, Nieuwoudtville Sportsgrounds, Du Toit Street, Nieuwoudtville, Northern Cape.

As the proposed development is undergoing an EA Application process in terms of the National Environmental Management Act, No 107 of 1998 (NEMA), NEMA Environmental Impact Assessment (EIA) Regulations, it is incumbent on the developer to ensure that a **Heritage Impact Assessment (HIA)** is done as per section 38(3) and 38(8) of the National Heritage Resources Act, Act 25 of 1999 (NHRA). This must include an archaeological component, palaeontological component and any other applicable heritage components. The HIA must be conducted **as part of the** EA Application in terms of NEMA and the NEMA EIA Regulations.

As the development area is relatively small, as per the 2007 SAHRA Minimum Standards: Archaeological and Palaeontological Components of Impact Assessments and the 2012 SAHRA Minimum Standards: Palaeontological Components of Heritage Impact Assessments, a Letter of Recommendations for Exemption may be submitted.

The quickest process to follow for the archaeological component would be to contract a specialist (see [www.asapa.org.za](http://www.asapa.org.za) or [www.aphp.org.za](http://www.aphp.org.za) to provide an Archaeological Letter of Recommendation for Exemption.

**PROPOSED 25M HIGH TELECOMMUNICATIONS MAST ON ERF 435,  
NIEUWOUDTVILLE SPORTSGROUNDS, DU TOIT STREET, NIEUWOUDTVILLE,  
NORTHERN CAPE**

**Our Ref:**



an agency of the  
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: [info@sahra.org.za](mailto:info@sahra.org.za)  
South African Heritage Resources Agency | 111 Harrington Street | Cape Town  
P.O. Box 4637 | Cape Town | 8001  
[www.sahra.org.za](http://www.sahra.org.za)

Enquiries: Natasha Higgitt  
Tel: 021 462 4502  
Email: [nhiggitt@sahra.org.za](mailto:nhiggitt@sahra.org.za)

Date: Monday March 19, 2018  
Page No: 2

CaseID: 12270

In order for the Palaeontological Letter of Recommendation for Exemption, a qualified palaeontologist must be contracted to compile the letter (see [www.palaeontologicalsociety.co.za](http://www.palaeontologicalsociety.co.za) for qualified paleontologists).

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

---

Natasha Higgitt  
Heritage Officer  
South African Heritage Resources Agency

---

Phillip Hine  
Acting Manager: Archaeology, Palaeontology and Meteorites Unit  
South African Heritage Resources Agency

**ADMIN:**

Direct URL to case: <http://www.sahra.org.za/node/488591>  
(DENC, Ref: )