



CTS HERITAGE

## Heritage Process: Proposed Establishment of a 25m Mast at Edcon Trust East London

### Background

In June 2018, a Desktop Heritage Screening Assessment was conducted to determine the likely impacts of the proposed 55m mast on heritage resources based on all existing information about this area available on SAHRIS - the South African Heritage Resources Information System.

### Legislative Context

The proposed development triggers section 38(8) of the National Heritage Resources Act (Act 25 of 1999) which states that: “The provisions of this section do not apply to a development as described in subsection (1) if an **evaluation of the impact of such development on heritage resources** is required in terms of the Environment Conservation Act, 1989 (Act No. 73 of 1989), or the integrated environmental management guidelines issued by the Department of Environment Affairs and Tourism, or the Minerals Act, 1991 (Act No. 50 of 1991), or any other legislation: **Provided that the consenting authority must ensure that the evaluation fulfils the requirements of the relevant heritage resources authority in terms of subsection (3), and any comments and recommendations of the relevant heritage resources authority with regard to such development have been taken into account prior to the granting of the consent.**”

### Case Application Summary

On 16 July 2018, the Case Application and Heritage Screening Assessment were submitted to the Eastern Cape Provincial Heritage Authority (ECPHRA) via SAHRIS with Case Number: 12717. Please see attached screenshot as evidence. In addition, this Case Application can be viewed here:

<https://www.sahra.org.za/sahris/cases/proposed-establishment-25m-mast-edcon-trust-ne-ar-nahoon-valley-park-east-london>

CTS Heritage

34 Harries Street, Plumstead, Cape Town, 7800

Tel: (021) 0130131 Email: [info@ctsheritage.com](mailto:info@ctsheritage.com) Web: [www.ctsheritage.com](http://www.ctsheritage.com)



CTS HERITAGE

As of 06 September 2018, there has been no response from the ECPHRA to this Case Application.

Nic Wiltshire

Jenna Lavin

06 September 2018

**CTS Heritage**

Home My account Messages MyDashboard MyComments Log out

**SAHRIS**

MyDashboard Explore Create Calendar Maps Help

Heritage Cases

VIEW REVISIONS

Proposed Establishment of a 25m Mast at Edcon Trust near Nahoon Valley park, East London

Add new comment Subscribe to: This post 20 reads

CaseHeader LocationInfo Admin

Status: SUBMITTED

HeritageAuthority(s): SAHRA  
ECPHRA

Case Type: Section 38 (8) - Statutory Comment Required

Development Type: Telecommunications Infrastructure

ProposalDescription:  
This application is for the proposed Establishment of a 25m Mast at Edcon Trust near Nahoon Valley park, East London

ApplicationDate: Monday, July 16, 2018 - 09:39

CaseID: 12717

Applicants: Enviroafrica CC

Consultants/Experts: Jenna Lavin

OtherReferences:

Dept	CaseReference	DueDate	FinalDecision
DEDEAT			

Heritage Reports: Proposed Establishment of a 25m Mast at Edcon Trust East London

ReferenceList:

AdditionalDocuments

1. BAR Report - Edcot Trust.pdf

Back to Top

South African Heritage Resources Agency (SAHRA)  
Head Office  
111 Harrington Street  
CAPE TOWN  
8001

PO Box 4637  
Cape Town, 8000  
Tel 021 462 4502/Fax 021 462 4509  
Email info@sahra.org.za  
Web www.sahra.org.za

**CTS Heritage**

34 Harries Street, Plumstead, Cape Town, 7800

Tel: (021) 0130131 Email: info@ctsheritage.com Web: www.ctsheritage.com