

Emile Esquire

From: Clarissa Fransman <Clarissa.Fransman@capetown.gov.za>
Sent: Wednesday, 20 June 2018 1:59 PM
To: Emile Esquire
Cc: 'Belinda Waters'
Subject: RE: NEMA 25m cell mast on Ptn 36 of Farm 725 Joostenbergvlakte

Thank you Emile for the confirmation

Kind regards,

Clarissa Fransman

Assistant Environmental Professional: Environmental Management Department

Ground Floor, Kraaifontein Municipal Offices
87 Brighton Road, Kraaifontein, 7570


Tel: 021 444 1557

Fax: 021 444 1063

Email: clarissa.fransman@capetown.gov.za

Web (TDA): www.tda.gov.za

Web (CCT): www.capetown.gov.za



TDA
CAPE TOWN

*The City of Cape Town's Transport
and Urban Development Authority*

From: Emile Esquire [<mailto:emile@enviroafrica.co.za>]
Sent: 20 June 2018 01:58 PM
To: Clarissa Fransman
Cc: 'Belinda Waters'
Subject: RE: NEMA 25m cell mast on Ptn 36 of Farm 725 Joostenbergvlakte

Dear Clarissa,

Your email earlier today refers.

The City of Cape Town was placed on the list of registered Interested and Affected Parties ("I&APs"), and a copy of the application form and Basic Assessment Report ("BAR") will be distributed to your office for comment.

Kind regards,

Emile Esquire



EnviroAfrica

Environmental Consultant

EnviroAfrica cc

p: +27 21 851 1616

f: +27 86 512 0154

a: Unit 7, Pastorie Park, Reitz St, Somerset West, 7130

P.O. Box 5367, Helderberg, 7135

w: www.enviroafrica.co.za e: emile@enviroafrica.co.za

From: Clarissa Fransman <Clarissa.Fransman@capetown.gov.za>

Sent: June 20, 2018 11:46 AM

To: admin@enviroafrica.co.za

Subject: NEMA 25m cell mast on Ptn 36 of Farm 725 Joostenbergvlakte

Good day

The abovementioned NEMA EIA application (featured in today's Kraaifontein Tygerburger) refers.

Kindly confirm that the City of Cape Town is a registered I&AP, and that a hard copy and electronic copy of the said application will be sent to this office for circulation and collation.

Kind regards,

Clarissa Fransman

Assistant Environmental Professional: Environmental Management Department

Ground Floor, Kraaifontein Municipal Offices

87 Brighton Road, Kraaifontein, 7570


Tel: 021 444 1557

Fax: 021 444 1063

Email: clarissa.fransman@capetown.gov.za

Web (TDA): www.tda.gov.za

Web (CCT): www.capetown.gov.za



TDA
CAPE TOWN

*The City of Cape Town's Transport
and Urban Development Authority*

Disclaimer: This e-mail (including attachments) is subject to the disclaimer published at:

<http://www.capetown.gov.za/general/email-disclaimer> Please read the disclaimer before opening any attachment or taking any other action in terms of this e-mail. If you cannot access the disclaimer, kindly send an email to disclaimer@capetown.gov.za and a copy will be provided to you. By replying to this e-mail or opening any attachment you agree to be bound by the provisions of the disclaimer.

Disclaimer: This e-mail (including attachments) is subject to the disclaimer published at:

<http://www.capetown.gov.za/general/email-disclaimer> Please read the disclaimer before opening any attachment or taking any other action in terms of this e-mail. If you cannot access the disclaimer, kindly send an email to disclaimer@capetown.gov.za and a copy will be provided to you. By replying to this e-mail or opening any attachment you agree to be bound by the provisions of the disclaimer.

SCIENTIFIC SERVICES

postal Private Bag X5014 Stellenbosch 7599
physical Assegaaibosch Nature Reserve Jonkershoek
website www.capenature.co.za
enquiries Rhett Smart
telephone +27 21 866 8017 **fax** +27 21 866 1523
email rsmart@capenature.co.za
reference SSD14/2/6/1/4/4/725-36_cell_Joostenbergvlakte
date 6 August 2018

EnviroAfrica
P.O. Box 5367
Helderberg
7135

Attention: Emile Esquire
By email: admin@enviroafrica.co.za

Dear Emile

Background Information Document for the Proposed 25m High Telecommunications Mast on Portion 36 of Farm Joostenbergvlakte 725, Kraaifontein, Cape Town

CapeNature would like to thank you for the opportunity to comment on the proposed development and would like to make the following comments. Please note that our comments only pertain to the biodiversity related impacts and not to the overall desirability of the proposed development.


The property on which the development is proposed is classified as No Natural according to the Biodiversity Network for the City of Cape Town and the Western Cape Biodiversity Spatial Plan. The Google Earth imagery indicates that the site is currently cultivated or built upon and does not contain any natural vegetation. No terrestrial ecological specialist studies are considered necessary.

There is an artificial farm dam mapped in the south western corner of the property, which would not be considered of biodiversity importance. No other wetlands are mapped for the site. It is not considered necessary to conduct a freshwater specialist study as there are no natural wetlands mapped for the site.

CapeNature will comment in more detail on the Draft Basic Assessment Report, however we are unlikely to object to this application.

CapeNature reserves the right to revise initial comments and request further information based on any additional information that may be received.

Yours sincerely



Rhett Smart
For: Manager (Scientific Services)

The Western Cape Nature Conservation Board trading as **CapeNature**

Board Members: Prof Denver Hendricks (Chairperson), Prof Gavin Maneveldt (Vice Chairperson), Ms Marguerite Bond-Smith, Mr Mervyn Burton, Dr Colin Johnson, Prof Aubrey Redlinghuis, Mr Paul Slack

Emile Esquire

From: Emile Esquire <emile@enviroafrica.co.za>
Sent: Wednesday, 03 October 2018 11:25 AM
To: 'Rhett Smart'
Cc: 'EnviroAfrica :Admin'
Subject: RE: Proposed 25m High Telecommunications Mast on Portion 36 of Farm Joostenbergvlakte 725, Kraaifontein, Cape Town (DEA&DP Ref: 16/3/3/6/7/1/A5/37/2135/18)

Dear Rhett,

Your comment dated 06 August 2018, refers.

Please note that your comment is duly noted.

Kindly be informed that the Pre-Application BAR will go out for public comment in due course.

I will forward you an electronic (CD) copy of the Pre-Application BAR in due course.

Kind regards,

Emile Esquire



EnviroAfrica

Environmental Consultant

EnviroAfrica cc

p: +27 21 851 1616

f: +27 86 512 0154

a: Unit 7, Pastorie Park, Reitz St, Somerset West, 7130

P.O. Box 5367, Helderberg, 7135

w: www.enviroafrica.co.za e: emile@enviroafrica.co.za

From: Rhett Smart <landuse@capenature.co.za>
Sent: Monday, 06 August 2018 5:58 PM
To: admin@enviroafrica.co.za; Emile Esquire <emile@enviroafrica.co.za>
Subject: BIDs: 7 telecommunication masts, City of Cape Town
Importance: High

Dear Emile

Please find attached comment from CapeNature on the background information documents for construction of telecommunication masts for the following properties:

- Remainder of Erf 5094, Broadlands, Strand
- Portion 17 of Farm Koopmans Kloof 221, Brackenfell, Cape Town
- Portion 36 of Farm Joostenbergvlakte 725, Kraaifontein, Cape Town
- Erf 73, Klipheuwel, Cape Town
- Erf 43547, 8th Avenue, Kromboom Parkway, Athlone, Cape Town
- Erf 562, 18th Avenue, Schaapkraal, Philippi, Cape Town
- Erf 4736, Noordhoek, Cape Town

Regards

Rhett

Rhett Smart

Scientist: Land Use Advisor | Scientific Services



CapeNature

tel +27 21 866 8017 | fax +27 86 529 4992 | cell +27 72 835 8741

email smart@capenature.co.za | postal Private Bag x5014 Stellenbosch 7599

physical Assegaaibosch Nature Reserve, Jonkershoek, Stellenbosch, 7599

www.capenature.co.za

Disclaimer: This electronic message and any attachments is intended for the addressee only and is confidential and privileged. If you have received this message in error please delete it and notify the sender. If the reader of this message is not the intended recipient, you are hereby notified that any unauthorised use, copying or dissemination is prohibited. CapeNature shall not be liable for the message if altered, changed or falsified. Any unauthorized disclosure may be unlawful. CapeNature does not warrant that this message or any attachment is free of viruses. CapeNature accepts no liability or legal responsibility for any damages resulting directly or indirectly from accessing this electronic message or the attachment.

the 1990s, the number of people with a disability in the United States has increased from 35 million to 50 million (U.S. Census Bureau, 1997). The number of people with a disability in the United Kingdom has increased from 4.5 million in 1980 to 6.5 million in 1997 (Department of Social Security, 1998). In the United States, the number of people with a disability who are employed has increased from 10 million in 1980 to 15 million in 1997 (U.S. Census Bureau, 1997). In the United Kingdom, the number of people with a disability who are employed has increased from 1.5 million in 1980 to 2.5 million in 1997 (Department of Social Security, 1998).

There is a growing awareness of the need to improve the lives of people with a disability. In the United States, the Americans with Disabilities Act (ADA) was passed in 1990. In the United Kingdom, the Disability Discrimination Act (DDA) was passed in 1995. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability.

The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability.

The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability.

The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability.

The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability. The ADA and DDA are designed to ensure that people with a disability have the same opportunities as people without a disability.



Western Cape
Government
Environmental Affairs and
Development Planning

DIRECTORATE: DEVELOPMENT MANAGEMENT
REGION 1

EIA REFERENCE: 16/3/3/6/7/1/A5/37/2135/18

ENQUIRIES: AYESHA HAMDULAY

DATE OF ISSUE: 2018 -08- 28

The Board of Directors
Atlas Towers (Pty) Ltd
P O Box 44512
CLAREMONT
7735

Attention: Mr Dirko Loots

Tel.: (021) 552 5255

Fax: (086) 537 9187

Dear Sir

COMMENT ON THE NOTICE OF INTENT TO SUBMIT AN APPLICATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT NO. 107 OF 1998) ("NEMA") AND THE ENVIRONMENTAL IMPACT ASSESSMENT ("EIA") REGULATIONS, 2014 (AS AMENDED): THE PROPOSED DEVELOPMENT OF AN APPROXIMATELY 25M HIGH TELECOMMUNICATION MAST AND ASSOCIATED INFRASTRUCTURE ON PORTION 36 OF THE FARM JOOSTENBERG VLAKTE NO. 725, KRAAIFONTEIN

1. The Notice of Intent Form with cover letter dated 12 July 2018, received by this Department on the same date, refers.
2. The Department notes the development proposal entails the development of an approximately 25m high monopole telecommunication mast and associated infrastructure on Portion 36 of the Farm Joostenberg Vlake No. 725, Kraaifontein.
3. **Listed Activities**
After considering the information provided in the Notice of Intent, this Department notes that the proposed development constitutes a listed activity as defined in terms of the EIA Regulations, 2014 (as amended), namely Item 3 of GN No. R.983 (as amended):

"The development of masts or towers of any material or type used for telecommunication broadcasting or radio transmission purposes where the mast or tower—

- (a) is to be placed on a site not previously used for this purpose;*
and
- (b) will exceed 15 metres in height—*

07th Floor, 1 Dorp Street, Cape Town, 8001
Tel.: +27 21 483 0756/3185 Fax: +27 21 483 4372
E-mail: Ayesha.Hamdulay@westerncape.gov.za

Private Bag X9086, Cape Town, 8000
www.westerncape.gov.za/eadp

Ayesha

but excluding attachments to existing buildings and masts on rooftops.

i. Western Cape

- i. All areas outside urban areas;
- ii. Areas designated for conservation use in Spatial Development Frameworks adopted by the competent authority, or zoned for a conservation purpose, within urban areas; or
- iii. Areas zoned for use as public open space or equivalent zoning within urban areas."

4. Process

A Basic Assessment Process must be followed in order to apply for Environmental Authorisation. Only those activities applied for shall be considered for authorisation. The onus is on the applicant to ensure that all the applicable listed activities are applied for and assessed as part of the Basic Assessment Process. Failure to include any applicable listed activity may invalidate the application.

You are referred to Appendix 1 of GN No. R. 982 (as amended) for the requirements with respect to the 'Basic Assessment Process'. You are advised that when undertaking the Basic Assessment Process you must take into account this Department's Circular EADP 0028/2014 on the "One Environmental Management System" and the EIA Regulations, 2014 (as amended) as well as any other guidance provided by this Department. This Department's guidelines can be downloaded from the Department's website: www.westerncape.gov.za/eadp. In particular, the guidelines that may be applicable to the proposed development include, *inter alia*, the following:

- 1.1. Guideline for Environmental Management Plans (June 2005)
- 1.2. Guideline on Exemption Applications (March 2013)
- 1.3. Guideline on Public Participation (March 2013)
- 1.4. Guideline on Alternatives (March 2013)
- 1.5. Guideline on Need and Desirability (March 2013)

5. Request for a Specific Fee Reference

This Department reminds you that the "Request for a specific fee reference number" form must be completed and submitted to this Department prior to submission of the formal application for the abovementioned proposed development. This Department advises that the Request for a Specific Fee Reference Number Form be submitted to this Department approximately 30 days before the intended date for the submission of the Application Form for Environmental Authorisation. Upon receipt of the specific fee reference number, the reference number must be inserted into the Application Form for Environmental Authorisation and proof of payment of the applicable fee attached when the Application Form is submitted to this Department.

6. Exemption

This Department notes that you do not intend to apply for Exemption in terms of the National Exemption Regulations, 2014 promulgated on 08 December 2014 from any of the requirements of the Public Participation Process as stipulated by Regulation 41 of the EIA Regulations, 2014 (as amended), any other provisions contained in the EIA Regulations, 2014 (as amended), the NEMA or any notice issued under the NEMA. Please note that should you fail to meet a requirement of the EIA Regulations, 2014 (as amended) or the NEMA and if no exemption from that provision was applied for, your application for Environmental Authorisation may be refused by this Department.

7. Alternatives

Be advised that in terms of the EIA Regulations, 2014 (as amended) and the NEMA, the investigation of alternatives is mandatory. All alternatives identified must therefore be investigated to determine if they are feasible and reasonable. In this regard it must be noted that this Department may grant authorisation for an alternative as if it has been applied for or may grant authorisation in respect of all or part of the activity applied for as specified in Regulation 20 of GN No. R. 982 (as amended). Alternatives are not limited to activity alternatives, but include layout alternatives, design, activity, operational and technology alternatives. You are hereby reminded that it is mandatory to investigate and assess the option of not proceeding with the proposed activity (i.e., the "No-Go" option) in addition to other alternatives identified.

Every EIA process must therefore identify and investigate alternatives, with feasible and reasonable alternatives to be comparatively assessed. If, however, after having identified and investigated alternatives, no feasible and reasonable alternatives were found, no comparative assessment of alternatives, beyond the comparative assessment of the preferred alternative and the option of not proceeding, is required during the assessment. What would, however, be required in this instance is proof that the investigation was undertaken and motivation indicating that no reasonable or feasible alternatives other than the preferred option and the 'No-Go' option exist.

8. Public Participation Process

A public participation process ("PPP") that meets the requirements of Regulation 41 of the EIA Regulations, 2014 (as amended) must be undertaken. You are advised that public participation may be undertaken prior to the submission of the application, although this is not mandatory. It is the Environmental Assessment Practitioner's ("EAP") discretion whether to meet the requirements of Regulation 41 during the pre-application process or formal application process. You are reminded that a period of at least 30 days must be provided to all potential or registered Interested and Affected Parties to submit comment on the Basic Assessment Report ("BAR") and Environmental Management Programme ("EMPr").

Should a PPP, which includes the circulation of the pre-application BAR for comment be undertaken prior to submission of an Application Form for Environmental Authorisation to this Department in terms of Regulation 40, the pre-application BAR may also be submitted to the Department for commenting purposes. Please ensure a minimum of two printed copies of the pre-application BAR is submitted to the Department for commenting purposes.

9. In terms of Section 24O (2) and (3) of NEMA and Regulations 7(2) and 43(2) of the EIA Regulations, 2014 (as amended), any State Department that administers a law relating to a matter affecting the environment relevant to the application must be requested to comment within 30 days. Please note that the EAP is responsible for such consultation. Therefore, it is requested that the EAP include proof of such notification to the relevant State Departments in terms of Section 24O (2) and (3) of NEMA in the BAR, where appropriate. It is noted that, amongst others, the following State Departments and Organs of State must be consulted during the EIA process as part of the PPP:

- 9.1. CapeNature;
- 9.2. The Ward Councillor;
- 9.3. The City of Cape Town;
- 9.4. Heritage Western Cape;
- 9.5. The Western Cape Government: Agriculture;
- 9.6. The Western Cape Government: Health; and
- 9.7. The South African Civil Aviation Authority.

In terms of good environmental practice you are encouraged to engage with State Departments and other Organs of State in the pre-application phase or early in the EIA process to solicit their inputs on any of their requirements to be addressed in the EIA process. Please note that this does not replace the requirement of making the BAR available to State Departments as stipulated above.

The person conducting the PPP must fulfil the requirements outlined in Chapter 6 of the EIA Regulations, 2014 (as amended) and must take into account any applicable Guidelines published in terms of Section 24J of the NEMA, this Department's Circular EADP 0028/2014 on the "One Environmental Management System" and the EIA Regulations 2014 (as amended), as well as any other guidance provided by this Department. Note that the public participation requirements are applicable to all proposed sites.

10. Environmental Management Programme

In accordance with Section 24N of the NEMA and Regulation 19, this Department hereby requires the submission of an EMPr. The contents of such an EMPr must meet the requirements outlined in Section 24N of the NEMA (as amended) and Regulation 19 of the EIA Regulations, 2014 (as amended). The EMPr must address the potential environmental impacts of the activity throughout the project life cycle, including an assessment of the effectiveness of monitoring and management arrangements after implementation (auditing). The EMPr must be submitted together with the BAR. This Department would like to advise that in compiling the EMPr, this Department's Guideline for Environmental Management Plans (June 2005), available on this Department's website must be taken into account as well as Appendix 4 of the EIA Regulations, 2014 (as amended).

11. Need and Desirability

In terms of the EIA Regulations, 2014 (as amended) when considering an application, this Department must take into account a number of specific considerations including, *inter alia*, the need for and desirability of any development proposal. As such, the need for and desirability of the development proposal must be considered and reported on in the BAR. The BAR must reflect how the strategic context of the site in relation to the broader surrounding area, has been considered in addressing need and desirability.

12. This Department awaits the submission of the Application Form and/or pre-application BAR prescribed by the EIA Regulations, 2014 (as amended). Please note that two printed copies and one electronic copy (saved on CD/DVD) of the Application Form for Environmental Authorisation and/or pre-application BAR must be submitted.

13. Please note that the pre-application consultation is an advisory process and does not pre-empt the outcome of any future application which may be submitted to this Department.

14. No information provided, views expressed and/or comments made by officials during the pre-application consultation should in any way be seen as an indication or confirmation:

14.1. That additional information or documents will not be requested, or

14.2. Of the outcome of the application.

15. In addition to the above, you must clearly show how the proposed development complies with the principles contained in Section 2 of the NEMA and must also show how the proposed development meets the requirements of Sustainable Development.

- 16. It is prohibited in terms of Section 24F of the NEMA for a person to commence with a listed activity unless the Competent Authority has granted an Environmental Authorisation for the undertaking of the activity. Failure to comply in terms of the prohibition will result in the matter being referred to the Environmental Law Enforcement Directorate of this Department for possible prosecution. A person convicted of an offence in terms of the above is liable for a fine not exceeding R5 000 000 or to imprisonment for a period not exceeding 10 years, or to both such fine and imprisonment.
- 17. Kindly quote the abovementioned reference number in any future correspondence regarding this letter.
- 18. The Department reserves the right to revise or withdraw its comments and request further information from you based on any information received.

Yours faithfully

pp / Thejane

**HEAD OF COMPONENT
ENVIRONMENTAL IMPACT MANAGEMENT SERVICES: REGION 1
DEPARTMENT OF ENVIRONMENTAL AFFAIRS AND DEVELOPMENT PLANNING**

Copied to: Mr Emile Esquire (EAP: EnviroAfrica) Fax: (086) 512 0154
Ms Pat Titmuss (CoCT: Northern Administration) Fax: (021) 444 0605

Emile Esquire

From: Emile Esquire <emile@enviroafrica.co.za>
Sent: Wednesday, 29 August 2018 8:26 AM
To: 'Ayesha Hamdulay'
Cc: 'EnviroAfrica :Admin'
Subject: Buh-Rein East - DEA&DP NOI Comment: DEA&DP Ref: 16/3/3/6/7/1/A5/37/2135/18

Tracking:	Recipient	Read
	'Ayesha Hamdulay'	
	'EnviroAfrica :Admin'	
	Ayesha Hamdulay	Read: 2018/08/29 8:29 AM

Dear Ayesha,

I hereby acknowledge receipt of the Department's comment dated 28 August 2018.

Please note that the content and recommendations made in the aforementioned correspondence is duly noted.

Kind regards,

Emile Esquire



EnviroAfrica

Environmental Consultant

EnviroAfrica cc

p: +27 21 851 1616

f: +27 86 512 0154

a: Unit 7, Pastorie Park, Reitz St, Somerset West, 7130

P.O. Box 5367, Helderberg, 7135

w: www.enviroafrica.co.za e: emile@enviroafrica.co.za