



REFERENCE: 16/3/3/6/7/1/C2/3/0013/19
ENQUIRIES: Ms Jessica Christie
DATE OF ISSUE: 27 MAR 2019

The Acting Municipal Manager
PRINCE ALBERT MUNICIPALITY
Private Bag X 53
PRINCE ALBERT
6930

Attention: Mr. J. Neethling

Tel: 023 541 1320
E-mail: jneethling@pamun.gov.za

Dear Sir

ACKNOWLEDGEMENT OF RECEIPT OF THE PRE-APPLICATION BASIC ASSESSEMENT REPORT FOR THE PROPOSED UPGRADE OF THE KLAARSTROOM OXIDATION POND WASTE WATER TREATMENT SYSTEM, PRINCE ALBERT LOCAL MUNICIPALITY

1. The abovementioned report, dated 12 March 2019 and received by this Directorate on 14 March 2019, refers.
2. This letter serves as an acknowledgment of receipt of the abovementioned document.
3. This Directorate will provide comments on the content of the Pre-Application BAR within period specified **i.e. by the 15th April 2019**.
4. Please note that the proposed activities may not commence prior to an Environmental Authorisation being granted by the Department.
5. The Department reserves the right to revise initial comments and request further information based on any new or revised information received.

Yours faithfully

pp. J. Christie

**HEAD OF COMPONENT: ENVIRONMENTAL IMPACT MANAGEMENT SERVICES: REGION 3
DEPARTMENT OF ENVIRONMENTAL AFFAIRS AND DEVELOPMENT PLANNING**

CC: Ms Inge Erasmus

(EAP)

E-mail: admin@enviroafrica.co.za

4th Floor, York Park Building, 93 York Street, George, 6529

Tel: +27 44 805 8600 Fax: +27 44 805 8650

E-mail: Jessica.Christie@westerncape.gov.za

Private Bag X6509, George, 6530

www.westerncape.gov.za/eadp