PROPOSED DEVELOPMENT OF A PIPELINE, IRRIGATION DAM AND AGRICULTURAL EXPANSION ON ERVEN 453, 281, 1074 AND 754, OLYVENHOUTSDRIFT SETTLEMENT, UPINGTON, NORTHERN CAPE Our Ref:



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Natasha Higgitt Date: Friday I

Tel: 021 462 4502

Email: nhiggitt@sahra.org.za

CaseID: 14834

Date: Friday February 21, 2020

Page No: 1

Interim Comment

In terms of Section 38(3), 38(8) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Enviroafrica CC

PO Box 5367 Heilderberg 7135

The proposed development of pipeline, irrigation dam and agricultural expansion on Erven 435, 281, 1074 and 754, Olyvenhoutsdrift Settlement, Upington, Northern Cape.

Thank you for notifying SAHRA of the Environmental Authorisation (EA) application for the proposed development of a pipeline, irrigation dam and agricultural expansion on erven 453, 281, 1074 and 754, Olyvenhoutsdrift Settlement, Upington, Northern Cape Province.

As the proposed development is undergoing an EA Application process in terms of the National Environmental Management Act, 107 of 1998 (NEMA), NEMA Environmental Impact Assessment (EIA) Regulations as amended, it is incumbent on the developer to ensure that a **Heritage Impact Assessment** (HIA) is done as per section 38(3) and 38(8) of the National Heritage Resources Act, Act 25 of 1999 (NHRA) as required by section 24(4)b(iii) of NEMA. This must include an archaeological component, palaeontological component and any other applicable heritage components. The HIA must be conducted **as part of the** EA Application in terms of NEMA and the NEMA EIA Regulations.

SAHRA requests that an assessment of the impacts to heritage resources that complies with section 38(3) of the NHRA as required by section 38(8) of the NHRA and section 24(4)b(iii) of NEMA be conducted as part of the EA process.

The assessment must include an assessment of the impact to archaeological and palaeontological resources. The assessment of archaeological resources must be conducted by a qualified archaeologist and the report comply with the SAHRA 2007 Minimum Standards: Archaeological and Palaeontological Components of Impact Assessment Reports (see www.asapa.co.za or www.asapa.co.za o

The proposed development is located within an area of moderate Palaeontological Sensitivity as per the SAHRIS PalaeoSensitivity map. As such, a desktop Palaeontological Impact Assessment (PIA) must be

PROPOSED DEVELOPMENT OF A PIPELINE, IRRIGATION DAM AND AGRICULTURAL EXPANSION ON ERVEN 453, 281, 1074 AND 754, OLYVENHOUTSDRIFT SETTLEMENT, UPINGTON, NORTHERN CAPE Our Ref:



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Natasha Higgitt

Tel: 021 462 4502

Email: nhiggitt@sahra.org.za

CaseID: 14834

Date: Friday February 21, 2020 Page No: 2

undertaken by a qualified palaeontologist. The report must comply with the 2012 Minimum Standards: Palaeontological Components of Heritage Impact Assessments.

The draft EIA documents and appendices must be submitted at the start of the public review process so that an informed comment can be issued.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Natasha Higgitt Heritage Officer

South African Heritage Resources Agency

Phillip Hine

Manager: Archaeology, Palaeontology and Meteorites Unit

South African Heritage Resources Agency

ADMIN:

Direct URL to case: http://www.sahra.org.za/node/533912