

Our Ref:



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Natasha Higgitt
Tel: 021 462 4502
Email: nhiggitt@sahra.org.za
CaseID: 15782

Date: Friday December 11, 2020
Page No: 1

Interim Comment

In terms of Section 38(3), 38(8) of the National Heritage Resources Act (Act 25 of 1999)

Attention: Triplo4 Sustainable Solutions

The proposed development entails construction of a 55m high, telecommunication mast and associated infrastructure on the Remainder of Farm Elandsheuwel No. 146, Hanover, in the Umsobomvu Municipality, in Northern Cape Province. A 3m wide, approximately 125m long gravel access road will also be constructed from the existing gravel road to gain access to the proposed site. The total development footprint is approximately 100m². The mast's base station will be enclosed with a steel palisade fence. Electricity to power the mast will be sourced from an existing Eskom line. A new overhead line of approximately 420m will need to be constructed from the Eskom line to the site.

Enviro Africa CC has been appointed by Atlas Tower (Pty) Ltd to conduct an Environmental Authorisation (EA) Application for the proposed telecommunication tower on the Remainder of Farm Elandsheuwel No. 146, Hanover, in the Umsobomvu Municipality, in Northern Cape Province.

A draft Basic Assessment Report (DBAR) has been submitted in terms of the National Environmental Management Act, no 107 of 1998 (NEMA) and the NEMA Environmental Impact Assessment (EIA) Regulations. The proposed development will include a 55 m telecommunication mast with related infrastructure covering a footprint of 100 m², a new 3 m gravel road, and a new overhead powerline (420 m long).

Natura Viva CC and ACRM have been appointed to provide heritage specialist input as part of the EIA process as required by section 24(4)b(iii) of NEMA and section 38(3) and 38(8) of the National Heritage Resources Act, Act 25 of 1999 (NHRA).

Almond, J. E. 2020. Palaeontological Assessment: Recommended Exemption from further Palaeontological Studies. Proposed construction of a communications mast on the Remainder of Farm Elandsheuwel No. 146 near Hanover, Umsobomvu Municipality, Northern Cape Province

The development is underlain by Karoo Dolerite that does not contain fossils, with Late Permian sediments of the Balfour formation which are largely overlain by doleritic colluvium, and Pleistocene or younger gravels, calcretes and soils of low palaeontological sensitivity. Due to the small impact footprint of the proposed

Our Ref:



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Natasha Higgitt
Tel: 021 462 4502
Email: nhiggitt@sahra.org.za
CaseID: 15782

Date: Friday December 11, 2020
Page No: 2

development, the anticipated impact will be very low. A Chance Fossil Finds Procedure is recommended to be followed and is provided in the report.

Kaplan, J. 2020. Archaeological Heritage: Letter of Exemption from further specialist studies & mitigation. Proposed construction of a 25m high Telecommunication Mast on Rem of the Farm Elandsheuwel 146 near Hanover, Northern Cape Province.

A few Stone Age lithics and a stone-walled kraal was identified in close proximity to the proposed development. The kraal was noted to be of low significance. No further recommendations were provided.

Interim Comment

The SAHRA Archaeology, Palaeontology and Meteorites (APM) Unit requests that a Heritage Impact Assessment inclusive of a field-assessment of the location of the proposed road and powerline be conducted. The HIA must include an assessment of the already identified heritage resources as noted above, as the submitted report does not satisfy the requirements of section 38(3) of the NHRA.

Further comments will be issued upon receipt of the above.

The applicant is advised to extend the EA process in terms of section 19(b) of the NEMA EIA regulations to comply with this comment and allow for the relevant public participation process for the HIA, and to provide SAHRA an opportunity to provide comments in terms of section 38(8) of the NHRA, that can be included in the Final BAR for decision making to the competent authority.

Should you have any further queries, please contact the designated official using the case number quoted above in the case header.

Yours faithfully

Natasha Higgitt
Heritage Officer

Our Ref:



an agency of the
Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za
South African Heritage Resources Agency | 111 Harrington Street | Cape Town
P.O. Box 4637 | Cape Town | 8001
www.sahra.org.za

Enquiries: Natasha Higgitt
Tel: 021 462 4502
Email: nhiggitt@sahra.org.za
CaseID: 15782

Date: Friday December 11, 2020
Page No: 3

South African Heritage Resources Agency

Phillip Hine
Manager: Archaeology, Palaeontology and Meteorites Unit
South African Heritage Resources Agency

ADMIN:
Direct URL to case: <http://www.sahra.org.za/node/545707>
(, Ref:)