

NOT APPLICABLE

REPRESENTATIVE

WITNESS

REPRESENTATIVE

89.25m²

NOT APPLICABLE

CLIENT



SITE INFORMATION							
SITE NAME & DESCRIPTION:							
Claudewil Broilers							
Ptn 22 of Zouterivier 22,							
Cape Road - Kalbaskraal							
	Off the N7						
PROJEC	PROJECT DESIGN SPECIFICATIONS:						
	35m Lattice Tower						
Greenfield							
Global CTC Towers							
LATITUDE	LATITUDE LONGITUDE						
-33.606362°	18.592915°	99m					

SITE NO.		DRA	WING NO.	
SP_WC046		6001.REV00		
DRAUGHTS PERSON	DA	TE	CLIENT REFERENCE	
LIAN KRUGER	03 MARCH 2020			

REVISION SCHEDULE							
DATE	No.	REVISION					
	1						
	2						
	3						
	4						
	5						
	6						

DRAWING NOTES

LEGAL REQUIREMENTS & FIRE NOTES:

- ALL WORK TO BE CARRIED OUT IN STRICT ACCORDANCE WITH THE NATIONAL BUILDING REGULATIONS & STANDARDS ACT (ACT 103 OF 1977 & SANS 10400)
- SITE TO COMPLY WITH T4.37, 4.29 & SANS 1186.5.
- ALL WORK TO COMPLY WITH SABS 1200.ALL WORK TO COMPLY WITH OH&S ACT.
- DIMENSIONS, DESCRIPTIONS & QUANTITIES ON THESE DRAWINGS TO BE VERIFIED ON SITE BEFORE ORDERING MATERIAL OF COMMENCING WITH WORK
- INSTALLATION TO COMPLY WITH ENGINEERING SPECIFICATIONS AND DESIGN. ENGINEERS TO ENSURE AVAILABLE POWER SUPPLY, SHOULD SUFFICIENT POWER
- NOT BE AVAILABLE, THIS NEEDS TO BE CONFIRMED IN WRITING. CONTAINERS & FENCE TO BE GALVANIZED.
- GROUND COVER TO BE 22mm CHIPSTONE

HEALTH & SAFETY:

INSTALLATION OF HEALTH & RF WARNING SIGNS TO ADHERE TO LOCAL REGULATORY SPECIFICATIONS AND SANS SPESIFICATIONS.

- . EXPOSURE OF THE PUBLIC TO RADIO FREQUENCY ENERGY EMITTED BY THE BASE STATION REQUIRED TO BE WITHIN THE ICNIRP GUIDELINES FOR GENERAL PUBLIC EXPOSURE.
- THE NETWORK PROVIDER ERECTING BASE STATION REQUIRED TO RECORD EXPOSURE LEVELS AT REGULAR INTERVALS AND TO MAKE THESE READINGS AVAILABLE TO COUNCIL ON REQUEST.
- AN AREA SHOULD BE MAINTAINED AROUND THE BASE STATION WHICH SHOULD BE FENCED OFF SO AS TO PREVENT UNAUTHORISED ACCESS BY THE PUBLIC TO THE BASE STATION SITE AND ANTENNA SUPPORT STRUCTURE.

GENERAL NOTES:

- FIGURED DIMENSIONS TO BE USED IN PREFERENCE TO SCALED DIMENSIONS.
- FIGURED DIMENSIONS REPRESENTED IN THE METRIC UNIT OF MILLIMETERS. ALL LEVELS MUST BE SET AND CONFIRMED WITH THE ARCHITECT/ENGINEER ON SITE BEFORE CONSTRUCTION COMMENCES







 NAME & SURNAME
 REGISTRATION NO.

 D.C.H JANSE VAN RENSBURG
 ST 1198


 PROFESSIONAL CAPACITY
 PROFESSIONAL SENIOR ARCHITECTURAL TECHNOLOGIST


 SIGNATURE:
 ST 100 S





WITNESS







CLIENT



	k		WE				
·	SITE	INFO	PMAT				
	SITE NAME & DESCRIPTION: Claudewil Broilers						
	1	Ptn 22 of Zo					
	C	Cape Road ·		aal			
		-	ne N7				
	PROJEC	CT DESIGN	-				
			ice Towe	r			
			enfield	5			
LATIT		LONG			ASL		
-33.606			2915°		99m		
-33.000	0302	10.59	2915		9911		
SITE	NO.		DRA	WING	NO.		
SP WC04			6001.RE				
DRAUGHT	S PERSO	N DA	TE	CLIENT F	REFERENCE		
LIAN KRU			CH 2020				
	REV	ISION	SCH	EDULE			
	b. REVIS	ION					
1							
3							
4	ł						
5							
6	5)		
	DR	AWIN		TES			
LEGAL RE		ENTS & FIR		-			
DIMENSION ON SITE BI INSTALLAT ENGINEER NOT BE AV CONTAINE GROUND C HEALTH 8 INSTALLATION SPECIFICATION EXPOSURE Z. THE NETW EXPOSURE AVAILABLE	NS, DESCRIPT FORE ORDEF FORE ORDEF S TO ENSURE S TO ENSURE S ALLABLE, THIS RS & FENCE T SOVER TO BE: S AFENCE T S AFETY: OF HEALTH & S AND SANS EQUIRED TO E. FORK PROVIDE E. LEVELS AT E TO COUNCIL	RF WARNING SI SPESIFICATION: LIC TO RADIO FF BE WITHIN THE ER ERECTING BA REGULAR INTER ON REQUEST.	TIES ON THES OF COMMENC EERING SPEC VER SUPPLY, 20NFIRMED I ED. IE. GNS TO ADHI 3. EQUENCY EI CNIRP GUIDE USE STATION VALS AND TO	DING WITH WORDEN IFICATIONS AN IFICATIONS AN SHOULD SUFF IFICATIONS AN IFICATION AND AN IFICATION AND AND AND ERE TO LOCAL VERGY EMITTE LINES FOR GE REQUIRED TO MAKE THESE F	RK ID DESIGN. ICIENT POWER REGULATORY D BY THE BASE NERAL PUBLIC RECORD READINGS		
FENCED O	FF SO AS TO F	PREVENT UNAU	THORISED AC	CESS BY THE F	ICH SHOULD BE PUBLIC TO THE		
	BASE STATION SITE AND ANTENNA SUPPORT STRUCTURE.						
		O BE USED IN P	REFERENCE	TO SCALED DIN	MENSIONS.		
FIGURED DIMENSIONS REPRESENTED IN THE METRIC UNIT OF MILLIMETERS. ALL LEVELS MUST BE SET AND CONFIRMED WITH THE ARCHITECT/ENGINEER ON SITE BEFORE CONSTRUCTION COMMENCES							
		APPL	CAN'	Γ			
	k	ТО	TTO CO	AST PS MITE			




 ARCHITECT APPROVAL

 NAME & SURNAME
 REGISTRATION NO.

 D.C.H JANSE VAN RENSBURG
 ST 1198

 PROFESSIONAL CAPACITY
 PROFESSIONAL SENIOR ARCHITECTURAL TECHNOLOGIST

 SIGNATURE:
 SIGNATURE:









CLIENT



	;	SITE	INFO	RMA	TION		
			NAME &				
Claudewil Broilers							
			tn 22 of Zo				
	Cape Road - Kalbaskraal Off the N7						
		PROJEC			CATIONS:	_	
				ice Towe			
				enfield			
			Global C		s	_	
LA	тіти	DE	LONGITUDE		ASL		
-33.	6063	62°	18.592915°		99m		
SITE	ΞN	0.		DRA	WING NO		
SP_WC	046			6001.R	EV00		
DRAUG	HTS	PERSON	N DA	TE	CLIENT REFERE	N	
LIAN KF	RUGE	ĒR	03 MAR	CH 2020			
				6011			
DATE				ЭСП	EDULE		
DATE	No. 1	REVISI	UN				
	2						
	3						
	4						
	5						
	_ 0	I					
		DR/	AWIN	G NC	TES		
DIMEN		COMPLY W	ITH SABS 1200 ITH OH&S ACT		SE DRAWINGS TO BE VERI	FIE	
ON SIT INSTAL ENGIN NOT B CONTT GROU INSTALLAT SPECIFICA 1. EXPOS STATIL EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE	ISIONS TE BEFI LLATIO IEERS 1 E AVAII AINERS ND COU H & S CION OF SURE L CON REC SURE. IETWOF SURE L ABLE T TEA SHO ED OFF	D COMPLY W D ESCRIPTIC CRE ORDERI N TO COMPL TO ENSURE / LABLE, THIS I A FENCE TC VER TO BE 2: SAFETY: FHEALTH & F AND SANS S F THE PUBLI JUIRED TO B RK PROVIDER EVELS AT RE O COUNCIL C JUILD BE MAIL SO AS TO PI	ITH OH&S ACT NG MATERILL Y WITH ENGLIN AVAILABLE POINNEDS TO BE D BE GALVANIZ 2mm CHIPSTOI C TO RADIO FIL WARNING S PESIFICATION IC TO RADIO FIL E WITHIN THE R ERECTING BI EGULAR INTERS NTAINED AROU	ITES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. VE. GNS TO ADHS. REQUENCY F REQUENCY F CONIRP GUID ASE STATION VALS AND TO UND THE BAS	CING WITH WORK CIFICATIONS AND DESIGN. ', SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE F ELINES FOR GENERAL PUE I REQUIRED TO RECORD D MAKE THESE READINGS SEE STATION WHICH SHOUL CCESS BY THE PUBLIC TO		
ON SIT INSTAL ENGIN NOT B CONTT GROU INSTALLAT SPECIFICA 1. EXPOS STATIL EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE	ISIONS TE BEF(LLATIO IEERS 1 E AVAIA IEERS 1 E AVAIA IEERS 1 IEERS 1	D COMPLY W D ESCRIPTIC CRE ORDERI N TO COMPL TO ENSURE / LABLE, THIS A FENCE TC VER TO BE 22 CAFEETY: HEALTH & F AND SANS S F THE PUBLIC DUIRED TO B RK PROVIDER O COUNCIL C O COUNCIL C O LO BE MAI SO AS TO PI N SITE AND,	ITH OH&S ACT ONS & QUANTI' NG MATERIAL Y WITH ENGIN VAILABLE PO' NEEDS TO BE' DB E GALVANIZ 2mm CHIPSTOI 2mm	ITES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. VE. GNS TO ADHS. REQUENCY F REQUENCY F CONIRP GUID ASE STATION VALS AND TO UND THE BAS	CING WITH WORK CIFICATIONS AND DESIGN. ', SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE F ELINES FOR GENERAL PUE I REQUIRED TO RECORD D MAKE THESE READINGS SEE STATION WHICH SHOUL CCESS BY THE PUBLIC TO		
ON SIT • INSTAI • ENGIN NOT B • CONT/ • GROUI INSTALLAT SPECIFICA 1. EXPOS STATIT EXPOS 2. THE N EXPOS 2. THE N EXPOS STATIT BASE • GENER • FIGUR	ISIONS TE BEF(I) ILLATIO IEERS 1 E AVAIII E AVAI	D COMPLY W D ESCRIPTIC DRE ORDERI N TO COMPL TO ENSURE / ABLE, THIS & FENCE TO EXERT TO E 22 COMPLY MEALTH & F AND SANS S O COUNCIL O DULD BE MAI SO AS TO PF IN SITE AND, IN SITE AND, IN SITE AND, IN SITE AND, IN SITE AND, IN SITE AND, IN SITE SITE	ITH OH&S ACT DNS & QUANTT NG MATERIAL Y WITH ENGIN VVILLABLE POI NEEDS TO BE: DB E GALVANE 2mm CHIPSTOI 2mm CHIPSTOI 2m	ITES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. 4E. GNS TO ADF S. REQUENCY E CONIRP GUID ASE STATION VALS AND TO JND THE BAS THORISED A PORT STRUC	CING WITH WORK CIFICATIONS AND DESIGN. ', SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE E ELINES FOR GENERAL PUE I REQUIRED TO RECORD D MAKE THESE READINGS SES STATION WHICH SHOUL CCESS BY THE PUBLIC TO CTURE.		
ON SIT INSTAI INSTAI INSTAI CONT/ GROU HEALTI INSTALLAT SPECIFICA 1. EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE BASE : GENER • FIGUR • FIGUR • ALL LE	ISIONS TE BEF LLATIO IEERS 1 E AVAIL E A VAIL E	D COMPLY W D ESCRIPTIC CRE ORDERI N TO COMPL TO ENSURE / LABLE, THIS I & FENCE TC VER TO BE 2: CAFETY: FIEALTH & F AND SANS S F THE PUBLI SUIFED TO B RK PROVIDEF EVELS AT RE O COUNCIL C DULD BE MAI SO AS TO PI N SITE AND / N STE AND / N STE STE VERSIONS TC EVENSIONS TC EVENSIONS TC	ITH OH&S ACT DNS & QUANTT NG MATERIAL Y WITH ENGIN VAULABLE PO' NEEDS TO BE DB E GALVANUE 2mm CHIPSTOI RF WARNING SI PESIFICATION IC TO RADIO FI R WARNING SI PESIFICATION IC TO RADIO FI RECETING BA SUPURATIONAL RECETING BA SUPURATIONAL REVENT UNAU DD BE USED IN PI PERSENTED IN DD BE USED IN PI PERSENTED IN PERSENTED IN PERSENTEN	I IES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. VE. GNS TO ADP S. REQUENCY E CONIRP GUID ASE STATION VALS AND TO UND THE BAS THORISED A PORT STRUC REFERENCE REFERENCE MED WITH TH	CING WITH WORK CIFICATIONS AND DESIGN. ', SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE E ELINES FOR GENERAL PUR I REQUIRED TO RECORD D MAKE THESE READINGS SEE STATION WHICH SHOUL CCESS BY THE PUBLIC TO CTURE.	DI DI TH	
ON SIT INSTAI INSTAI INSTAI CONT/ GROU HEALTI INSTALLAT SPECIFICA 1. EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE BASE : GENER • FIGUR • FIGUR • ALL LE	ISIONS TE BEF LLATIO IEERS 1 E AVAIL E A VAIL E	D COMPLY W D ESCRIPTIC CRE ORDERI N TO COMPL TO ENSURE / LABLE, THIS I & FENCE TC VER TO BE 2: CAFETY: FIEALTH & F AND SANS S F THE PUBLI SUIFED TO B RK PROVIDEF EVELS AT RE O COUNCIL C DULD BE MAI SO AS TO PI N SITE AND / N STE AND / N STE STE VERSIONS TC EVENSIONS TC EVENSIONS TC	ITH OHÂS ACT DNS & QUANTI' NG MATERIAL Y WITH ENGIN VAILABLE PO' NEEDS TO BE BE GALVANIZ 2mm CHIPSTOI 2mm	I IES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. VE. GNS TO ADP S. REQUENCY E CONIRP GUID ASE STATION VALS AND TO UND THE BAS THORISED A PORT STRUC REFERENCE REFERENCE MED WITH TH	CING WITH WORK CIFICATIONS AND DESIGN. ', SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE F ELINES FOR GENERAL PUE I REQUIRED TO RECORD D MAKE THESE READINGS SEE STATION WHICH SHOUL CCESS BY THE PUBLIC TO THURE.	DI DI TH	
ON SIT INSTAI INSTAI INSTAI CONT/ GROU HEALTI INSTALLAT SPECIFICA 1. EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE BASE : GENER • FIGUR • FIGUR • ALL LE	ISIONS TE BEF LLATIO IEERS 1 E AVAIL E A VAIL E	D COMPLY W D ESCRIPTIC CRE ORDERI N TO COMPL TO ENSURE / LABLE, THIS I & FENCE TC VER TO BE 2: CAFETY: FIEALTH & F AND SANS S F THE PUBLI SUIFED TO B RK PROVIDEF EVELS AT RE O COUNCIL C DULD BE MAI SO AS TO PI N SITE AND / N STE AND / N STE STE VERSIONS TC EVENSIONS TC EVENSIONS TC	ITH OH&S ACT ONS & QUANTT NG MATERIAL Y WITH ENGIN VAULABLE PO'NEEDS TO BE DB E GALVANUZ 2mm CHIPSTOI RF WARNING S DB E GALVANUZ 2mm CHIPSTOI RF WARNING S DB E GALVANUZ 2mm CHIPSTOI RF VARNING S DB E GALVANUZ ANTENNA SUP DB E USED IN P PRESENTED II PRESENTED II PRESENTED II PRESENTED II PRESENTED II	ILES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. VE. GNS TO ADP S. REQUENCY E CONFIRMED UND THE BAS THORISED A PORT STRUC REFERENCE REFERENCE REFERENCE THORISED A THE METRI MED WITH TH ICES	CING WITH WORK CIFICATIONS AND DESIGN. (; SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE RELINES FOR GENERAL PUR I REQUIRED TO RECORD D MAKE THESE READINGS SEE STATION WHICH SHOUL CCESS BY THE PUBLIC TO CTURE. TO SCALED DIMENSIONS. C UNIT OF MILLIMETERS. IE ARCHITECT/ENGINEER (
ON SIT INSTAI INSTAI INSTAI CONT/ GROU HEALTI INSTALLAT SPECIFICA 1. EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE BASE : GENER • FIGUR • FIGUR • ALL LE	ISIONS TE BEF LLATIO IEERS 1 E AVAIL E A VAIL E	D COMPLY W D ESCRIPTIC CRE ORDERI N TO COMPL TO ENSURE / LABLE, THIS I & FENCE TC VER TO BE 2: CAFETY: FIEALTH & F AND SANS S F THE PUBLI SUIFED TO B RK PROVIDEF EVELS AT RE O COUNCIL C DULD BE MAI SO AS TO PI N SITE AND / N STE AND / N STE STE VERSIONS TC EVENSIONS TC EVENSIONS TC	ITH OH&S ACT ONS & QUANTT NG MATERIAL Y WITH ENGIN VAULABLE PO'NEEDS TO BE DB E GALVANUZ 2mm CHIPSTOI RF WARNING S DB E GALVANUZ 2mm CHIPSTOI RF WARNING S DB E GALVANUZ 2mm CHIPSTOI RF VARNING S DB E GALVANUZ ANTENNA SUP DB E USED IN P PRESENTED II PRESENTED II PRESENTED II PRESENTED II PRESENTED II	I IES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. VE. GNS TO ADP S. REQUENCY E CONIRP GUID ASE STATION VALS AND TO UND THE BAS THORISED A PORT STRUC REFERENCE REFERENCE MED WITH TH	CING WITH WORK CIFICATIONS AND DESIGN. (; SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE RELINES FOR GENERAL PUR I REQUIRED TO RECORD D MAKE THESE READINGS SEE STATION WHICH SHOUL CCESS BY THE PUBLIC TO CTURE. TO SCALED DIMENSIONS. C UNIT OF MILLIMETERS. IE ARCHITECT/ENGINEER (DI DI TH	
ON SIT INSTAI INSTAI INSTAI CONT/ GROU HEALTI INSTALLAT SPECIFICA 1. EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE BASE : GENER • FIGUR • FIGUR • ALL LE	ISIONS TE BEF LLATIO IEERS 1 E AVAIL E A VAIL E	D COMPLY W D ESCRIPTIC CRE ORDERI N TO COMPL TO ENSURE / LABLE, THIS I & FENCE TC VER TO BE 2: CAFETY: FIEALTH & F AND SANS S F THE PUBLI SUIFED TO B RK PROVIDEF EVELS AT RE O COUNCIL C DULD BE MAI SO AS TO PI N SITE AND / N STE AND / N STE STE VERSIONS TC EVENSIONS TC EVENSIONS TC	ITH OH&S ACT DNS & QUANTY NG MATERIAL Y WITH ENGIN VAULABLE PO' NEEDS TO BE: DBE GALVANUE 2mm CHIPSTOI RF WARNING S PESIFICATION C TO RADIO FI E WITHIN THE R ERECTING BA EGULAR INTER NR REQUEST. TAND CONFIRI TION COMMEN C TO PLUE C TO COMMEN D BE USED IN P PEPRESENTE DI NO C TO COMMEN C TO C TO COMMEN C TO C TO	Intersion The of Commence Eering Spe- wer Supply Confirmed ED. He. GNS TO ADF S. REQUENCY E ICONIRP GUID S. REQUENCY E ICONIRP GUID NASE STATION VALS AND TO IND THE BAS THORISED A PORT STRUC REFERENCES ICAN	CING WITH WORK CIFICATIONS AND DESIGN. (, SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE 6 ELINES FOR GENERAL PUR I REQUIRED TO RECORD D MAKE THESE READINGS SEE STATION WHICH SHOUL CCESS BY THE PUBLIC TO TURE. TO SCALED DIMENSIONS. C UNIT OF MILLIMETERS. HE ARCHITECT/ENGINEER (
ON SIT INSTAI INSTAI ON THE SECONT/ GROU HEALTI INSTALLAT SPECIFICA 1. EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE BASE : GENER • FIGUR • FIGUR • ALL LE	ISIONS TE BEFI LLATIO IEERS 1 AINERS ND CO' H & S CON REC ON REC	D COMPLY W D ESCRIPTIC D ENSURE / LABLE, THISIS A FENCE TO VER TO BE 2: SAFETY: HEALTH & R AND SANS S F THE PUBLIC DURED TO B RK PROVIDEF EVELS AT REO O COUNCIL C DULD BE MAIN SO AS TO PIN N STE AND IN STE	ITH OHÂS ACT DINS & QUANTI NG MATERIAL Y WITH ENGIN VAILABLE PO' NEEDS TO BE DE GALVANIZ 2mm CHIPSTOI BE GALVANIZ 2mm CHIPSTOI E WITHIN THE RERECTING BA GOLLAR INTER DN REQUEST. NTAINED ARON REVENT UNAU ANTENNA SUP	ITES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. 4E. GNS TO ADF S. REQUENCY E ICONIRP GUID VALS AND TO VALS AND TO VALS AND TO IND THE BAS THORISED A PORT STRUC REFERENCE N THE METRI AED WITH TH ICES	CING WITH WORK CIFICATIONS AND DESIGN. (, SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE F ELINES FOR GENERAL PUE I REQUIRED TO RECORD D MAKE THESE READINGS SE STATION WHICH SHOUL CCESS BY THE PUBLIC TO CTURE. TO SCALED DIMENSIONS. C UNIT OF MILLIMETERS. HE ARCHITECT/ENGINEER OF T		
ON SIT • INSTAI • ENGIN NOT B • CONT/ • GROUI INSTALLAT SPECIFICA 1. EXPOS STATIC EXPOS 2. THE N EXPOS AVAILLAT 3. AN AR FENCE BASE : • • • • • • • • • • • • •	ASIONS TE BEFI LLATIO IEERS 1 AINERS ND CO' H & S CON REC ON REC	D COMPLY W D ESCRIPTIC D ED CALL D ESCRIPTIC D ED CALL D E ORDERI N TO COMPL TO EDSURE / LABLE, THIS SAFETY: HEALTH & FRACE TO VER TO BE 2: SAFETY: HEALTH & FRACE TO SAFETY: HEALTH & FRACE TO HEALTH & FRACE TO	ITH OHÂS ACT DINS & QUANTI NG MATERIAL Y WITH ENGIN VAILABLE PO' NEEDS TO BE DE GALVANIZ 2mm CHIPSTOI BE GALVANIZ 2mm CHIPSTOI E WITHIN THE RERECTING BA GOLLAR INTER DN REQUEST. NTAINED ARON REVENT UNAU ANTENNA SUP	ITES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. 4E. GNS TO ADF S. REQUENCY E ICONIRP GUID ASE STATION VALS AND TO IND THE BAS THORISED A PORT STRUC REFERENCE INTH METRI MED WITH TH ICES	CING WITH WORK CIFICATIONS AND DESIGN. (, SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE F ELINES FOR GENERAL PUE IREQUIRED TO RECORD D MAKE THESE READINGS SE STATION WHICH SHOUL CCESS BY THE PUBLIC TO CTURE. TO SCALED DIMENSIONS. C UNIT OF MILLIMETERS. RE ARCHITECT/ENGINEER O	D E TH	
ON SIT INSTAI INSTAI INSTAIL OR CONT/ GROU HEALTI INSTALLAT SPECIFICA 1. EXPOS 2. THE N EXPOS 2. THE N EXPOS AVAIL 3. AN AR FENCE BASE (GENER OF IGUR I. FIGUR I. FI	A SULARIS	D COMPLY W D ESCRIPTIC D ED CALL D ESCRIPTIC D ED CALL D E CA	ITH OH&S ACT DNS & QUANTY NG MATERIAL Y WITH ENGIN VAULABLE PO' NEEDS TO BE DBE GALVANUE 2mm CHIPSTOI C TO RADIO FI E GULAR INTER PESFICATION C TO RADIO FI E WITHIN THE R ERECTING BA EGULAR INTER D REQUEST. TAND CONFIRI TION COMMEN APPLI COAS C	ITES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. VE. GNS TO ADF S. REQUENCY F ICNIRP GUID ASE STATION VALS AND TO UND THE BAS THORISED A PORT STRUC IND THE BAS THORISED A PORT STRUC IND THE BAS THORISED A PORT STRUC	CING WITH WORK CIFICATIONS AND DESIGN. (; SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE F ELINES FOR GENERAL PUE I REQUIRED TO RECORD D MAKE THESE READINGS SE STATION WHICH SHOUL CCESS BY THE PUBLIC TO THRE. T COSALED DIMENSIONS. C UNIT OF MILLIMETERS. HE ARCHITECT/ENGINEER (T	D E TH	
ON SIT INSTAL INSTAL INSTALLAT SPECIFICA INSTALLAT SPECIFICA INSTALLAT SPECIFICA INSTALLAT SPECIFICA INSTALLAT SPECIFICA INSTALLAT STEP OCH INSTALLAT STEP INSTALLAT STEP INSTALLAT STEP INSTALLAT STEP INSTALLAT STEP INSTALLAT STEP INSTALLAT STEP INSTALLAT STEP INSTALLAT INSTALLAT SPECIFICA INSTALLAT SPECIFICA INSTALLAT STEP INSTALLAT INSTALLAT STEP INSTALLAT INST	AND CONTRACTOR OF CONTRACTOR O	D COMPLY W D ESCRIPTIC CRE ORDERI N TO COMPL TO ENSURE / LABLE, THIS I A FENCE TC VER TO BE 2: CAFETY: HEALTH & F AND SANS S F THE PUBLI DUIRED TO B RK PROVIDEF EVELS AT RE O COUNCIL C DUIL DE MAI SO AS TO PI N SITE AND / NOTES: CONSTRUCT CONS	ITH OH&S ACT DNS & QUANTY NG MATERIAL Y WITH ENGIN VAULABLE PO' NEEDS TO BE BE GALVANUE 2mm CHIPSTOI CTO RADIO FI E GULARINTER SEFSICIATION CTO RADIO FI E WITHIN THE RERECTING BA EGULARINTER DN REQUEST. NTAINED ARO REVENT UNAU ANTENNA SUP DB USED IN P PRESENTED II TAND CONFILE ON COMMEN CONFILE CONFILE CONFILE CONFILE ITECT	ITES ON THE OF COMMEN EERING SPE WER SUPPLY CONFIRMED ED. HE. GNS TO ADF S. REQUENCY E ICONIRP GUID ASE STATION VALS AND TO IND THE BAS THORISED AI PORT STRUC REFERENCES IND THE BAS THORISED AI PORT STRUC REFERENCES IND THE CONFIL IND THE BAS THORISED AI PORT STRUC REFERENCES IND THE CONFIL IND THE CONFIL INTERCON	CING WITH WORK CIFICATIONS AND DESIGN. (; SHOULD SUFFICIENT PO' IN WRITING. HERE TO LOCAL REGULATO ENERGY EMITTED BY THE F ELINES FOR GENERAL PUE I REQUIRED TO RECORD D MAKE THESE READINGS SE STATION WHICH SHOUL CCESS BY THE PUBLIC TO THRE. T COSALED DIMENSIONS. C UNIT OF MILLIMETERS. HE ARCHITECT/ENGINEER (T	D E D E	

WITNESS





CLIENT



		SITE	INFO	RMA [®]	TION		
		Р	tn 22 of Z	il Broiler outerivier	s 22,		
Cape Road - Kalbaskraal Off the N7 PROJECT DESIGN SPECIFICATIONS:							
		PROJEC		I SPECIFI			
	Greenfield Global CTC Towers						
LA	τιτυι	DE	LONG	ITUDE	ASL		
-33	6063	62°	18.59	92915°	99m		
SITI		0.			WING NO.		
SP_WC		PERSON	N DA	6001.R	EV00 CLIENT REFERENCE		
LIAN KI				RCH 2020			
				SCH	EDULE		
DATE	No. 1	REVISIO	ON				
	2						
	4						
	6						
			AWIN				
ALL W ALL W ALL W ALL W ALL W ON SI INSTA ENGIN NOT B CONT. GROU HEALT INSTALLAT SPECIFICA I. EXPO: STATI EXPO: 2. THE N EXPO: AVAIL 3. AN AR FENCI BASE GENER FIGUR FIGUR FIGUR I. ALL LI	ORK TC ORK TC SIGNS, FE BEFC LLATIOI LLATIOI LLATIOI LEERS T E AVAIL AINERS NO OF TON OF TON OF TON OF TON OF TON OF TON OF SURE LI SURE O SURE LI SURE O SURE LI ABLE TI ABLE TI ABLE TI ABLE TI ABLE D DIM TED DIM TED DIM	D COMPLY WU D COMPLY WU D COMPLY WU D COMPLY WU D COMPLY WU D COMPLY O COMPLY D COMP	NG MATERIAL Y WITH ENGIN VAILABLE PO NEEDS TO BE D BE GALVANU Zmm CHIPSTO IF WARNING S PESIFICATION C TO RADIO F E WITHIN THE R ERECTING B GULAR INTER R ERECTING B GULAR INTER R RECTING B GULAR INTER S RECTING B IS D S D S D S D S D S D S D S D S D S D	D. TILES ON THE OF COMMEN IEERING SPE WER SUPPLY CONFIRMED ZED. NE. IGNIS TO ADP- IS. REQUENCY E ICNIRP GUID ASE STATION WALS AND TO UND THE BAS THORISED A PREFERENCE IN THE METRIN MED WITH TH NCES	HERE TO LOCAL REGULATORY ENERGY EMITTED BY THE BASE ELINES FOR GENERAL PUBLIC IN REQUIRED TO RECORD D MAKE THESE READINGS SEE STATION WHICH SHOULD BE CCESS BY THE PUBLIC TO THE CTURE.		
		K					
	Α	RCHI	TECT		ROVAL		

 ARCHITECT APPROVAL

 NAME & SURNAME
 REGISTRATION NO.

 D.C.H JANSE VAN RENSBURG
 ST 1198

 PROFESSIONAL CAPACITY
 PROFESSIONAL SENIOR ARCHITECTURAL TECHNOLOGIST

 SIGNATURE:
 SIGNATURE: