


Proof of E-WULA submission

Re: Pre-Application Water Use Enquiry has been submitted to the department (WU22279)



Dirk Van Driel <saligna2030@gmail.com>
To: Clinton Geysler; Bernard de Witt



Fri 28 Jan 2022 11:31

----- Forwarded message -----

From: <Ewulaas_Do_Not_Reply@dws.gov.za>
Date: Tue, Oct 5, 2021 at 8:54 AM
Subject: Pre-Application Water Use Enquiry has been submitted to the department (WU22279)
To: <saligna2030@gmail.com>

Dear Dr Dirk van Driel (Scientist),

A request for consultation for the following Pre-Application Water Use Enquiry has been submitted to the department :

Cell phone tower on Farm Zouterivier (WU22279)

Your request for consultation was submitted to :

Name : Mr W. Dreyer (Acting WULA Manager)
e-Mail : dreyerw@dws.gov.za
Tel : +27219416185

[Click Here to access the Application](#)

Kind Regards,
e-WULAAS on Behalf of Department of Water and Sanitation

Private Bag X313, Pretoria, 0001
Sedibeng Building, 185 Francis Baard Street, Pretoria, 0001
Tel: (012) 336 7500
Fax: (012) 323-4472
Website: www.dws.gov.za
Email: E-WULAASCalls@dws.gov.za



water & sanitation
Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA



e-WULAAS